

DEEP CONVOLUTIONAL AND RECURRENT NETWORKS FOR POLYPHONIC INSTRUMENT CLASSIFICATION FROM MONOPHONIC RAW AUDIO WAVEFORMS

Kleanthis Avramidis*, Agelos Kratimenos*, Christos Garoufis, Athanasia Zlatintsi and Petros Maragos

School of ECE, National Technical University of Athens, 15773 Athens, Greece

kle.avramidis@gmail.com, ageloskrat@yahoo.gr, cgaroufis@mail.ntua.gr, {nzlat, maragos}@cs.ntua.gr

ABSTRACT

Sound Event Detection and Audio Classification tasks are traditionally addressed through time-frequency representations of audio signals such as spectrograms. However, the emergence of deep neural networks as efficient feature extractors has enabled the direct use of the audio signals for classification purposes. In this paper, we attempt to recognize musical instruments in polyphonic audio by only feeding their raw waveforms into deep learning models. Various recurrent and convolutional architectures incorporating residual connections are examined and parameterized in order to build end-to-end classifiers with low computational cost and only minimal preprocessing. We obtain competitive classification scores in the IRMAS test set, utilizing a parallel CNN-BiGRU model with multiple residual connections, while maintaining a significantly reduced number of trainable parameters.

Index Terms— Raw Waveforms, End-to-End Learning, Polyphonic Music, Instrument Classification

1. INTRODUCTION

Waveforms are abstract representations of sound waves and, when recorded, they constitute convoluted signals that incorporate noise from the complexity of the recorded sound event, the acoustic scene, as well as the recording equipment. Complex sound events such as spoken dialogues or simultaneously playing musical instruments (i.e., polyphonic music) can be challenging in extracting meaningful information. Thus, audio classification tasks traditionally discard waveform modeling in favor of richer time-frequency feature representations [1]. In fields like Speech Recognition [2] and Music Information Retrieval [3], such methods take advantage of the discriminative information of the signals' spectra, which is aligned to the human auditory system.

In Instrument Classification particularly there is strong intuition into utilizing frequency-related representations as musical notes and instruments are densely associated with specific frequency events. Thus, the majority of research works in the field incorporate spectrograms in their analysis. It is however challenging and computationally expensive to design specialized feature representations for each different recognition task, especially when contemporary deep learning models emerge as strong feature extractors for end-to-end classification. In this paper we address this challenge by parameterizing deep recurrent and convolutional networks to model raw audio waveforms efficiently. Our analysis is concentrated on handling the high input dimensionality of the waveforms, mining temporal features and preserving their low-level spatial locality, and reducing




Fig. 1. Intermediate activation of the Residual FCN Model (Sec. 3.2) for the above 1-sec piano sample.

the computational cost of the whole process. In the end, we propose a lightweight end-to-end classifier for Instrument Classification that shows comparable performance to state-of-the-art spectrogram-based architectures, including our previous work on the task [4].

The rest of the paper is organized as follows: Sec. 2 provides a review of related research work in Audio Signal Processing using raw waveforms, as well as Instrument Classification. The architectures that are used throughout our experiments are analyzed in Sec. 3. Sec. 4 describes the experimental setup, the dataset and the evaluation methods to be followed, whereas in Sec. 5 we discuss the results of our experiments. Finally, in Sec. 6 we present our conclusions as well as propose further directions for future work.

2. RELATED WORK

Deep neural networks, which have achieved state-of-the-art performances in audio recognition [5] by operating directly in the time domain, have blurred the line between representation learning and predictive modeling. Convolutional networks particularly have shown competitive performance, in some cases matching that of classical spectrogram-based models [6]. In speech analysis and synthesis, WaveNet [7] is a benchmark model fed with audio

*The first two authors contributed equally.




Fig. 2. The DCNN, FCN and RFCN architectures used in the experimental evaluation.

waveforms, whereas [8] achieves robust representation learning by utilizing WaveNet Autoencoders that use waveforms directly as input. In Music Information Retrieval, a number of works have attempted to acquire high-level features like melody and pitch [9], while waveform-based architectures have also recorded competitive results in music [10] and speech [11] source separation.

As far as Instrument Classification is concerned, until recently the majority of works utilized time-frequency representations and used datasets of solo recordings or excerpt-level annotations (e.g. IRMAS [12], MedleyDB [13]), due to the challenging task of labeling polyphonic music. While traditionally research focused upon monophonic audio [14], most recent studies address polyphonic tasks, relying on the efficiency of deep learning models. Specific points of focus include investigation of the optimal input temporal resolution [15, 16], the design of the convolutional filters involved [17], while we have also experimented with sophisticated augmentation methods, attempting to isolate timbre-like characteristics [4].

3. ARCHITECTURES

3.1. Recurrent Networks

Recurrent neural networks (RNN) have been widely used in waveform modeling and classification, thanks to their ability to model long-range temporal dependencies. Thus, in our baseline network we employ the Bidirectional Gated Recurrent Unit (BiGRU). The GRU architectures have shown comparable performance to Long Short-Term Memory (LSTM) units in processing audio sequences [18], while they also inherit a less complex structure that results in lower computational cost. Moreover, the Bidirectional version of the GRU takes into account both past and future audio context, which intuitively assists our task.

Number of Layers	Number of Units
1	128 or 256
2	128, 64
Dropout (0.5)	
Output Dense	

Table 1. BiGRU Architecture Configurations.

We have been experimented with the optimal number of layers in the recurrent network. Specifically, we have trained 3 different networks one with 1 Bidirectional GRU layer with 128 number of units, one with 1 Bidirectional GRU layer with 256 number of units




Fig. 3. The utilized CNN cell structure.

and one with 2 Bidirectional GRU layers with 128 and 64 number of units respectively, as shown in Table 1. We used a fully connected layer to produce the models' output as well as a Dropout layer right before, to enhance the generalization capabilities. To reduce the high dimensionality of the waveforms we apply max pooling at the input level, with a pool size of 3.

3.2. Convolutional Networks

Convolution has been an extremely coherent feature extraction process and has been applied to nearly every Deep Learning task. Convolutional Networks (CNN) traditionally operate on images [19] or, in Audio Classification, on time-frequency representations like spectrograms [15]. However, convolution provides useful results also when applied to 1D signals [20]. We base our CNN on the architecture used in [4] that yielded strong results on the IRMAS Dataset. We substitute 2D with 1D Convolution layers and fine-tune the parameters so as to handle the high dimensionality of audio waveforms. The convolution cell structure is composed of 2 stacked convolutional layers with the same number of filters, a Batch Normalization layer that enhances the training efficiency [21], a Leaky ReLU activation and a max pooling layer (Fig. 3).

We place 5 CNN cells in a row with 16, 32, 64, 64 and 32 filters respectively, using kernel and pooling sizes equal to 3 for the first three layers and 5 for the rest. This model is followed by two fully connected layers (denoted as DCNN), increasing substantially the number of its trainable parameters. Thus, we also experiment by removing all the fully connected layers to form a Fully Convolutional Network (FCN). The 11D output vector is then estimated through an additional convolution layer with a unit kernel, followed

BiGRU	F1-micro %	F1-macro %	LRAP %	#Params
1 (128)	43.76 \pm 1.95	37.37 \pm 1.90	57.26 \pm 3.28	103.4K
1 (256)	43.51 \pm 2.46	39.19 \pm 2.23	58.47 \pm 2.73	403.4K
2	49.28 \pm 2.45	43.18 \pm 3.11	67.07 \pm 1.81	225.6K

Table 2. Results for the Recurrent Networks discussed in Sec. 3.1, subject to the number of GRU layers and the number of units.

Models	F1-micro %	F1-macro %	LRAP %	#Params
DCNN	55.32 \pm 0.55	48.30 \pm 0.31	73.48 \pm 0.38	1.14M
FCN	58.45 \pm 0.36	49.96 \pm 0.29	75.13 \pm 0.32	81.8K
RFCN	58.55 \pm 0.22	50.22 \pm 0.35	75.14 \pm 0.23	85K

Table 3. Results for the Dense Connected Neural Network (DCNN), the Fully Connected Network (FCN) and the Residual FCN (RFCN) discussed in Sec. 3.2.

by Global Average Pooling. The adoption of FCNs in modeling raw audio waveforms sharply reduces the number of parameters that we need to train, while it could also force the network to learn meaningful features in its convolutional layers, keeping their spatial locality throughout the model workflow [20]. The final configuration is a Residual FCN (RFCN), where we simply embed to the previous model the skip connections shown in Fig. 2. Through residual connections the model is able to propagate low-level features throughout the network.

3.3. Combined Networks

The aforementioned feature extraction and classification methods are capable of learning different types of features. It has been demonstrated [5] that convolutional networks concentrate on spatial features and, in the context of waveforms, on temporally local correlations, while recurrent ones are useful in modeling longer-term temporal structure and variance. We can therefore expect that a combined Convolutional-Recurrent Neural Network model (CRNN) would further enhance the performance of the highlighted architectures, so we proceed to attach the best BiGRU model into the RFCN model. In order to preserve the temporal resolution of the RNN to feasible magnitude, we experiment by embedding it after the 2nd, the 3rd and the 4th CNN cell, as well as by feeding the CNN output to the recurrent units. Specifically, the embedded model takes the output of the corresponding CNN cell and its output is reduced to the number of classes through an additional convolution layer with a unit kernel, followed by Global Average Pooling, just as applied to the FCN models. The two 11D vectors are then averaged before the Sigmoid activation. In this way we empirically search the optimal way of integrating the recurrent network information into a robust prediction model.

4. EXPERIMENTAL SETUP

4.1. Dataset & Training

The dataset used to train and test our models is the IRMAS dataset [12], which has been extensively researched for the task of Instrument Classification. IRMAS is divided into a training set containing 6705 audio segments of 3 seconds each and a testing set containing polyphonic tracks of various lengths. Each of the 3-sec snippets is annotated with exactly one of 11 available predominant instruments. We choose to cut each track into 1-sec segments, since this temporal resolution increases the data volume and assists the generalizability of the training process, yielding optimal results in a number of

Models	F1-micro %	F1-macro %	LRAP %	#Params
CRNN ₂	59.80 \pm 0.66	53.20 \pm 0.52	74.16 \pm 0.66	1.03M
CRNN ₃	60.77 \pm 0.26	54.31 \pm 0.35	74.74 \pm 0.39	1.07M
CRNN ₄	60.07 \pm 0.67	53.73 \pm 0.59	74.11 \pm 0.50	1.08M
CRNN ₅	59.21 \pm 0.56	52.18 \pm 0.46	74.32 \pm 0.65	1.03M

Table 4. Results for the combined CNN and RNN networks discussed in Sec. 3.3. The subscript denotes the layer in which the latter was connected to the former.

studies [15, 16]. Each waveform is then downsampled to 22.05 kHz, downmixed to mono and normalized by its root-mean-square energy. Since we are interested in classifying only raw waveforms, no further pre-processing is applied.

The data is then shuffled and partitioned into 5 subsets. We perform 5-fold cross validation to each one of the above mentioned model architectures in order to acquire more representative estimations. All networks were trained using binary cross-entropy as the loss function. The Adam optimizer [22] is used to optimize the loss function, with an initial learning rate of 0.001 and 10% decay rate per 4 epochs of non-decreasing validation loss. The batch size is set to 64 after fine-tuning. We also perform an Early Stopping criterion by monitoring the validation loss with a patience of 7 epochs.

4.2. Evaluation Metrics

Each model is evaluated at the IRMAS test set, consisting of 2355 polyphonic music tracks, ranging from 5 to 20 sec duration. During the evaluation process, we partition each track into 1-sec segments, compute the per frame predictions and then average them in order to extract a single track prediction. This method will produce reliable results because each labeled instrument is always active for the whole duration of the track. For the particular polyphonic classification we utilize two metrics. The first one is the F1 Score, which is widely used in many studies [12, 16] on the task and gives a balanced view of multi-class performance. In order to calculate an overall score, we compute the average of the per-instrument scores at both micro and macro scales. The second one is Label Ranking Average Precision (LRAP), a rank-based metric proposed in [23]. LRAP is suitable for multi-label classification evaluation as it is threshold-independent and measures the classifier’s ability to assign higher scores to the correct labels associated to each sample.

5. RESULTS AND DISCUSSION

5.1. Architecture Comparison

In Table 2 we present the accuracy scores for the recurrent neural models proposed in Sec. 3.1. It is clear that a simple recurrent network cannot sufficiently decode the information included in a waveform. Still, the best model emerges from a combination of two BiGRU layers with 128 and 64 units, respectively, which by far outperform the 1 GRU layer. Further experiments show that adding a CNN Cell before the recurrent units significantly improves the classification results, indicating the efficiency of the models described in Sec. 3.3.

On the other hand, as we see in Table 3, 1D convolutional models are capable of extracting the most discriminative features from raw waveforms, almost as well as 2D convolutional models that work on spectrogram inputs [16, 4]. Furthermore, removing the dense layers not only reduces the number of model trainable parameters, and thus the training time, but also increases the accuracy




Fig. 4. Instrument-wise performance of the proposed model and the monophonic [4] in terms of F1-score.

Models	F1-micro	F1-macro	LRAP	#Params
Bosch et al. [12]	0.503	0.432	—	—
Pons et al. [17]	0.589	0.516	—	—
Han et al. [16]	0.602	0.503	—	—
Kratimenos et al. [4]	0.616	0.506	0.767	24.3M
Proposed	0.608	0.543	0.747	1.07M

Table 5. Comparison of our work with previous performances on the IRMAS Dataset

markedly. We argue that, in the absence of a dense layer, the network generalizes better upon the information from the convolutional processing. Additionally, connecting the output of the first CNN cell with the third one, and the output of the second CNN cell with the fourth slightly increases the results with no additional cost in parameters or training time. Other types of residual connections through do not yield improved performance.

To optimally combine the temporal information deduced from the RNN and the already utilized spatial characteristics drawn from the residual network, we additionally assess the performance of the combined networks described in Sec. 3.3. Simply averaging the RNN and CNN model outputs lowers though the classification accuracy, something we attribute to the inadequate standalone performance of the BiGRU (see Table 2). We thus experimented inserting the RNN model in various stages of the RFCN architecture that yielded optimal accuracy. From the scores we report at Table 4 we notice that there is no observed improvement in the model performance as far as the LRAP metric is concerned. However, there is a steady increase at F1 scores, about 2% and 4% at micro and macro scales, respectively. It should be mentioned, at this point, that the combined models consist of a significantly larger number of parameters than the fully convolutional ones, while the DCNN is the model with the most parameters, despite its lower performance.

The optimal architecture is utilized by embedding the BiGRU module after the 3rd CNN cell of the residual fully convolutional model and by averaging the 2 models’ output at the end. The proposed model yields an LRAP score close to 75% and F1 scores comparable to the literature [16, 4, 17] on the IRMAS Dataset. Specifically, F1 micro surpasses most studies on the task, while we observe dominant performance at the more competitive F1 macro score, in which case the model even surpasses the performance achieved in our previous work with the use of significant data augmentation [4]. Those results are obtained with a significantly reduced number of trainable parameters, low training and testing time and minimal pre-processing. In order to emphasize this, we attempt to train the model utilized in [4] introducing a sharp reduction to its parameters but preserving the architecture. We proceed with reducing the convolutional filters and the final dense layer before classification. The results (Table 6) show that this model falls behind the proposed by 6% and an average 8%, regarding LRAP and F1 scores, respectively.

Models	F1-micro	F1-macro	LRAP	#Params
Proposed	0.608	0.543	0.747	1.07M
[4] Reduced	0.520	0.458	0.689	1.20M

Table 6. Comparison between the proposed architecture and the state-of-the-art after parameter reduction.

5.2. Instrument-wise Analysis

In order to get a more thorough insight into the raw waveform characteristics of different instruments and how much these can assist the task of Instrument Classification, we examine the class-wise performance in terms of the F1 metric. The results are visualized in Fig. 4, along with the corresponding results obtained from Constant Q Transform (CQT) spectrogram modeling in our previous work [4]. We clearly observe that brass instruments are recognized much easier using raw waveforms, compared to CQT features. In specific, clarinet, flute, saxophone and trumpet achieve 14%, 7%, 13% and 9% increase respectively in F1-score when waveforms are considered. On the other hand, predominant instruments, i.e. electric/acoustic guitar, piano/organ and the human voice, are distinguished more efficiently through processing their CQT representation, with the highest difference observed on piano with 10% change in F1-score. Nevertheless, the comparative performance of the instruments pretty much resembles the findings of the same study.

6. CONCLUSIONS

In this paper, we attempt to perform polyphonic instrument classification from monophonic music data with the usage of their raw audio waveforms. We experiment with various architectures that are favourable towards waveforms, like Fully Convolutional Networks and Residual Nets and we also attempt to embed a Recurrent Network to the optimal Convolutional Architecture so as to fuse their respective temporal and spatial information. A residual FCN-BiGRU model with a total of 1 million parameters outperforms the state-of-the-art model, utilizing CQT spectrograms and holding 24 million parameters, in the F1-macro metric by 4%, while it is comparable in the F1-micro and LRAP metrics. A more thorough experiment on the performance of each instrument independently shows that brass instruments are being identified easier through waveforms, while more predominant instruments, like piano or the electric guitar, benefit more from time-frequency input features. Future work should therefore deal with alternate methods to exploit a recurrent neural network when fed with raw waveforms, as well as with suggestions to enhance the recognition performance of predominant instruments.

7. REFERENCES

- [1] C. C. Chatterjee, M. Mulimani, and S. G. Koolagudi, "Polyphonic sound event detection using transposed convolutional recurrent neural network," in *Proc. IEEE Int'l Conf. on Acoustics, Speech and Signal Processing (ICASSP)*, 2020.
- [2] B. Puterka and J. Kacur, "Time window analysis for automatic speech emotion recognition," in *Proc. Int'l Symposium EL-MAR*, 2018.
- [3] S. Gururani, M. Sharma, and A. Lerch, "An attention mechanism for musical instrument recognition," in *Proc. Int'l Society for Music Information Retrieval Conference, (ISMIR)*, Nov. 2019.
- [4] A. Kratimenos, K. Avramidis, C. Garoufis, A. Zlatintsi, and P. Maragos, "Augmentation Methods on Monophonic Audio for Instrument Classification in Polyphonic Music," in *Proc. European Signal Processing Conference (EUSIPCO)*, 2020.
- [5] S. H. Bae, I. Choi, and N. S. Kim, "Acoustic scene classification using parallel combination of lstm and cnn," in *Proc. of the Detection and Classification of Acoustic Scenes and Events 2016 Workshop (DCASE)*, 2016.
- [6] T. Sainath, Ron J. Weiss, A. Senior, K. Wilson, and Oriol Vinyals, "Learning the speech front-end with raw waveform cldnns," in *INTERSPEECH*, 2015.
- [7] A. van den Oord, S. Dieleman, H. Zen, K. Simonyan, O. Vinyals, A. Graves, N. Kalchbrenner, A. W. Senior, and K. Kavukcuoglu, "Wavenet: A generative model for raw audio," in *Proc. Speech Synthesis Workshop (ISCA)*, Sept., ISCA.
- [8] J. Chorowski, R. J. Weiss, S. Bengio, and A. van den Oord, "Unsupervised speech representation learning using wavenet autoencoders," *IEEE/ACM Trans. on Audio, Speech, and Language Processing*, vol. 27, no. 12, pp. 2041–2053, 2019.
- [9] J. W. Kim, J. Salamon, P. Li, and J. P. Bello, "CREPE: A convolutional representation for pitch estimation," *CoRR*, vol. abs/1802.06182, 2018.
- [10] D. Stoller, S. Ewert, and S. Dixon, "Wave-u-net: A multi-scale neural network for end-to-end audio source separation," in *Proc. Int'l Society for Music Information Retrieval Conference (ISMIR)*, 2018.
- [11] Y. Luo and N. Mesgarani, "Conv-tasnet: Surpassing ideal time-frequency magnitude masking for speech separation," *IEEE ACM Trans. Audio Speech Lang. Process.*, vol. 27, no. 8, pp. 1256–1266, 2019.
- [12] J. J. Bosch, J. Janer, F. Fuhrmann, and P. Herrera, "A comparison of sound segregation techniques for predominant instrument recognition in musical audio signals," in *Proc. Int'l Society for Music Information Retrieval Conference, (ISMIR)*, 2012.
- [13] R. M. Bittner, J. Salamon, M. Tierney, M. Mauch, C. Cannam, and J. Bello, "Medleydb: A multitrack dataset for annotation-intensive mir research," in *Proc. Int'l Society for Music Information Retrieval Conference, (ISMIR)*, 2014.
- [14] P. Herrera-Boyer, G. Peeters, and S. Dubnov, "Automatic classification of musical instrument sounds," *Journal of New Music Research*, vol. 32, no. 1, pp. 3–21, 2003.
- [15] S. Gururani, C. Summers, and A. Lerch, "Instrument activity detection in polyphonic music using deep neural networks," in *Proc. Int'l Society for Music Information Retrieval Conference, (ISMIR)*, 2018.
- [16] Y. Han, J. Kim, and K. Lee, "Deep convolutional neural networks for predominant instrument recognition in polyphonic music," *IEEE/ACM Trans. on Audio, Speech, and Language Processing*, vol. 25, pp. 208–221, 2017.
- [17] J. Pons, O. Slizovskaia, R. Gong, E. Gómez, and X. Serra, "Timbre analysis of music audio signals with convolutional neural networks," *2017 25th European Signal Processing Conference (EUSIPCO)*, pp. 2744–2748, 2017.
- [18] J. Chung, C. Gulcehre, K. Cho, and Y. Bengio, "Empirical evaluation of gated recurrent neural networks on sequence modeling," in *Proc. NIPS 2014 Workshop on Deep Learning*, Dec. 2014.
- [19] K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," *CoRR*, vol. abs/1409.1556, 2015.
- [20] W. Dai, C. Dai, S. Qu, J. Li, and S. Das, "Very deep convolutional neural networks for raw waveforms," in *Proc. IEEE Int'l Conf. on Acoustics, Speech and Signal Processing (ICASSP)*, 2017.
- [21] S. Ioffe and C. Szegedy, "Batch normalization: Accelerating deep network training by reducing internal covariate shift," vol. 37, Jul. 2015.
- [22] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," in *Proc. Int'l Conf. on Learning Representations (ICLR)*, May 2015.
- [23] R. E. Schapire and Y. Singer, "Boostexter: A boosting-based system for text categorization," *Machine Learning*, vol. 39, no. 2/3, pp. 135–168, 2000.